

SCANLAN®

Peripheral Vascular Bypass instruments





Joseph Scanlan

Russell Scanlan

Tim Scanlan

Adam Scanlan

Chenoa Scanlan

Since 1921, Scanlan International, Inc. has been designing and manufacturing the highest quality surgical instrumentation. Our Peripheral Vascular Bypass instruments are a unique collection of instruments for procedures working within small to medium sized surgical fields. Each instrument is designed with the highest grade stainless steel or titanium alloys, and are handcrafted with meticulous precision... allowing excellent tactile response and control.

This collection has been selected from our full line of high quality surgical instrumentation (consisting of over 3000 designs). Please visit us at www.scanlaninternational.com to review additional selections and options.

If we can ever be of assistance to you, please call me toll-free within the United States or Canada, or collect from anywhere in the world. Thank you for your continued support and demand for the finest.

Sincerely,

Timothy M. Scanlan
President
Chief Executive Officer

Russel T. Scanlan
Chief Operating Officer

100 Years of Excellence... And Our Journey Continues

SCANLAN® Peripheral Vascular Bypass Instruments

9009-24



SCANLAN® Vascular Tuner

Cat. No.	Description	Length
9009-24	SCANLAN® Vascular Tuner Slight Curve	20-1/2" (52 cm)

9009-18



9009-16



SCANLAN® Vascular Tuner Sheaths

Cat. No.	Description	Grafts Up To	Interior Diameter	Color	Length
9009-18	SCANLAN® Tuner Sheath	8 mm	9.5 mm	Green	20-1/2" (52 cm)
9009-16		10 mm	12 mm	Blue	

9009-14



SCANLAN® A/V Access Tuner

Cat. No.	Description	Length
9009-14	SCANLAN® Vascular Tuner Slight Curve	12-1/2" (30.5 cm)

9009-22



9009-20



SCANLAN® A/V Access Tuner Sheaths

Cat. No.	Description	Grafts Up To	Interior Diameter	Color	Length
9009-22	SCANLAN® Tuner Sheath	6 mm	7 mm	Yellow	12" (30.5 cm)
9009-20		8 mm	9 mm	Orange	



SCANLAN®
Peripheral Vascular Bypass Instruments

3003-944



SCANLAN®
Forceps

	Cat. No.	Tip (enlarged to show detail)	Description	Handle	Length
Titanium	3003-05		SCANLAN® DeBakey Dissecting Forceps 1 mm Straight DeBakey Tips	Flat	7-3/4" (19.5 cm)
	3003-051		SCANLAN® DeBakey Dissecting Forceps 1.2 mm Straight DeBakey 1 x 2 Micro Teeth	Flat	7-3/4" (19.5 cm)
	3003-912		SCANLAN® LEGACY Micro Forceps Straight DIAMOND DUST™ Platform Tips	Round	7-1/8" (18.1 cm)
	3003-922		SCANLAN® LEGACY Micro Forceps 1.0 mm Straight DIAMOND DUST™ Platform Ring Tips	Round	7-1/8" (18.1 cm)
	3003-932		SCANLAN® LEGACY Micro Forceps 1.0 mm Straight Tapered DeBakey Tips	Round	7-1/8" (18.1 cm)
	3003-944		SCANLAN® LEGACY Micro Forceps 1.0 mm Straight DIAMOND DUST™ Platform Ring Tips	SCAN-II®	8-1/4" (21 cm)
	3003-954		SCANLAN® LEGACY Micro Forceps 1.0 mm Straight Tapered DeBakey Tips	SCAN-II®	8-1/4" (21 cm)
Stainless Steel	4004-43		SCANLAN® DeBakey Forceps 1 mm Straight DeBakey Tips	Flat	7-3/4" (19.5 cm)
	4004-220		SCANLAN® Dennis Micro Forceps 1 mm Straight DIAMOND DUST™ Ring Tips	Round	7-1/4" (18.5 cm)
	4004-230		SCANLAN® Micro Forceps 1 mm Straight DeBakey Tips	Round	7-1/8" (18.1 cm)
	4004-260		SCANLAN® Micro Forceps Straight DIAMOND DUST™ Platform Tips	Round	7-1/8" (18.1 cm)
	4004-268		SCANLAN® DeBakey Needle Pulling Tissue 1 mm Straight Fine Carbon-Inlay with DeBakey Tips	Round	7-1/8" (18.1 cm)

SCANLAN®
Peripheral Vascular Bypass Instruments

3003-374



SCANLAN®
Needle Holders

	Cat. No.	Tip (enlarged to show detail)	Description	Suture Size	Handle	Length
Titanium	3003-354		SCANLAN® LEGACY Needle Holders Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0	Round	8" (20 cm)
	3003-374		SCANLAN® LEGACY Needle Holders Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0	SCAN-II®	8" (20 cm)
	3003-382		SCANLAN® LEGACY Needle Holders Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0	SCAN-II®	7" (18 cm)
	3003-342		SCANLAN® Ryder Needle Holders Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0	Round	6-3/4" (17 cm)
	3003-452		SCANLAN® Richards Micro Needle Holders Straight Extra Fine DIAMOND DUST™ Jaws	6-0	Ring	6-3/4" (17 cm)
	3003-462		SCANLAN® Micro Needle Holders Straight DIAMOND DUST™ Jaws	5-0	Ring	7-1/4" (18.5 cm)
	Stainless Steel	6006-33		SCANLAN® Micro Needle Holders Ryder-Style, Straight DIAMOND DUST™ Jaws	5-0	Ring
6006-82			SCANLAN® Jacobson Micro Needle Holders Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0	Round	7-1/4" (18.5 cm)
6006-121			SCANLAN® Jacobson Micro Needle Holders Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0	Round	8-1/4" (21 cm)

SCAN-II® Handle Design U.S. Patent No. D907,202 & D949,337

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com





3003-282



7007-218SC

SCANLAN®
Clamps

	Cat. No.	Description	Length
Titanium	3003-282	SCANLAN® Dennis Multi-Purpose Clamp 4 cm 45° Angled Jaws	8" (20 cm)
	3003-614	SCANLAN® Micro Clamp Straight Shanks 60° Angled DeBakey Jaws 23 mm Jaw Length	4-1/8" (10.5 cm)
	3003-633	SCANLAN® Micro Clamp Straight Shanks 45° Angled DeBakey Jaws 30 mm jaw length	4-1/2" (11.5 cm)
Stainless Steel	2002-82	SCANLAN® Dennis Multi-Purpose Clamp 4 cm 45° Angled Jaws	6-1/4" (16 cm)
	2002-231	SCANLAN® Baby Vascular Clamp Atraumatic Profunda Clamp	5-1/2" (14 cm)
	2002-235	SCANLAN® Baby Vascular Clamp 45° Angled Jaws	5-3/4" (14.5 cm)
	5005-64	SCANLAN® Bailey Forceps Ring Handle 90° Angled Very Fine Serrated Jaws	7" (18 cm)

SCANLAN®
Scissors

Cat. No.	Tip (enlarged to show detail)	Description	Handle	Length
7007-313SC		SCANLAN® Stevens Tenotomy Scissors Curved Super Cut™ Blades Tenotomy Tips	Ring Handle	6" (15 cm)
7007-211SC		SCANLAN® Stevens Tenotomy Scissors Curved Super Cut™ Blades Tenotomy Tips	Ring Handle	7" (18 cm)
7007-218SC		SCANLAN® Metzenbaum Scissors Curved Super Cut™ Blades	Ring Handle	7" (18 cm)
7007-218-1SC		SCANLAN® Metzenbaum Scissors Curved Super Cut™ Blades Fine Tips	Ring Handle	7" (18 cm)
7007-252-5SC		SCANLAN® Diethrich-Potts Scissors 45° Angled Micro Fine Super Cut™ Blades	Ring Handle	7" (18 cm)
7007-492		SCANLAN® Jacobson Micro Scissors 45° Angled Micro Fine Super Cut™ Blades	Spring Style	6-3/4" (17 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Peripheral Vascular Bypass Instruments

3795-01



SCANLAN®
Heifetz™ Temporary Occlusion Applier

Cat. No.	Description	Length
3795-01	SCANLAN® Heifetz™ Appliers Straight	7-1/4" (18.5 cm)

SCANLAN®
Heifetz™ Temporary Occlusion Clips

Cat. No.	Description	Jaw Dimensions	
3795-14	SCANLAN® Heifetz™ Clip Straight Firm Pressure	Jaw Length: 8 mm Jaw Width: 1.75 mm	
3795-18	SCANLAN® Heifetz™ Clip Curved Firm Pressure		
3795-20	SCANLAN® Heifetz™ Clip Straight Light Pressure	Jaw Length: 12 mm Jaw Width: 2.25 mm	
3795-28	SCANLAN® Heifetz™ Clip Curved Firm Pressure		

All SCANLAN® Heifetz™ Temporary Occlusion Clips are re-usable and steam, flash (immediate use), ETO and plasma sterilization compatible. Not intended for implantation.

SCANLAN®
Peripheral Vascular Bypass Instruments

3786-28



SCANLAN®
Yasargil Temporary Occlusion Applying Forceps

Cat. No.	Description	Length
3786-28	SCANLAN® YASARGIL Applying Forceps Bayonet Style, Flat Handle Straight	7-1/8" (18.1 cm)

SCANLAN®
Yasargil Temporary Occlusion Clips

Cat. No.	Description	Jaw Dimensions	
3786-23	SCANLAN® Yasargil Clip Angled	Jaw Length: 9 mm	
3786-24	SCANLAN® Yasargil Clip Slight Curve		

All SCANLAN® Yasargil Temporary Occlusion Clips are re-usable and steam, flash (immediate use), ETO and plasma sterilization compatible. Not intended for implantation.

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Peripheral Vascular Bypass Instruments

1001-506



SCANLAN®
VASCU-STATT® Temporary Occlusion Applier

Cat. No.	Description	Length
1001-506	SCANLAN® VASCU-STATT® Appliers Straight	8-1/2" (21.5 cm)

SCANLAN®
VASCU-STATT® Single-Use Temporary Occlusion Clips

Cat. No.	Description	
1001-571	SCANLAN® VASCU-STATT® II Plus Firm Pressure Mini, Angled 45° Gentle Jaw™	
1001-550	SCANLAN® VASCU-STATT® Plus Regular Pressure Midi, Straight Gentle Jaw™	
1001-573	SCANLAN® VASCU-STATT® II Plus Firm Pressure Midi, Angled 45° Gentle Jaw™	
1001-574	SCANLAN® VASCU-STATT® II Plus Regular Pressure Midi, Straight Gentle Jaw™	

SCANLAN®
Peripheral Vascular Bypass Instruments

8008-456



SCANLAN®
MEMORY Garrett Vascular Dilators / Vessel Probes

Cat. No.	Description	Length
8008-456	SCANLAN® MEMORY Garrett Vascular Dilators / Vessel Probes 2 mm	5-1/2" (14 cm)
8008-458	SCANLAN® MEMORY Garrett Vascular Dilators / Vessel Probes 2.5 mm	
8008-460	SCANLAN® MEMORY Garrett Vascular Dilators / Vessel Probes 3 mm	
8008-462	SCANLAN® MEMORY Garrett Vascular Dilators / Vessel Probes 3.5 mm	
8008-464	SCANLAN® MEMORY Garrett Vascular Dilators / Vessel Probes 4 mm	



9009-960

SCANLAN®
SUNDT™ Graduated Suction System

Cat. No.	Description	Length
9009-960	SCANLAN® Sundt™ Graduated Suction System Rotatable, 3Fr., 4Fr., 5Fr., 6Fr., 7Fr., 9Fr., 11Fr.	5-1/4" (13.5 cm)



SCANLAN®

Peripheral Vascular Bypass Instruments

SCANLAN®

SOLEM™ Single-Use Vein Holder

1001-760

Cat. No.	Description	Length
1001-760	SCANLAN® Solem™ Vein Holder Straight	6-1/2" (16.5 cm)




SCANLAN®

SURG-I-LOOP® Single-Use Silicone Loops

1001-76
1001-77

Cat. No.	Description
1001-76	SCANLAN® SURG-I-LOOP® Red, Maxi
1001-77	SCANLAN® SURG-I-LOOP® Blue, Mini



2142-03

SCANLAN®

V.I.P.™ Sterilization Trays

Cat. No.	Description	Capacity	Length
2142-03	Silver-gray color, Scan-Guard™ silicone insert across full width of base, additional tray insert	18+	10" x 15" x 2.6" (25.4 cm x 38 cm x 6.6 cm)

All trays are steam, Immediate Use Steam Sterilization (IUSS) and ETO sterilization compatible
Firm Sale - May be available for evaluation

All products are not available in all regions. Please contact Scanlan customer service for product availability in your region.

For more information or to place an order,
please contact your local Scanlan representative, or call...

U.S. & Canada: 800-328-9458 International: 651-298-0997
FAX: 651-298-0018
www.scanlaninternational.com



MK-B-PVB Rev. B